MATRIX



HIGH SECURITY PERIMETER ENCLOSURE GRID




AMERISTARFENCE.COM | 888-333-3422

Experience a safer and more open world

AMERISTAR°

ASSA ABLOY





ENGINEERED SOLUTIONS

Designed as a layered solution, Matrix systems exceed expectations and meet strict security standards.













EXPANDABLE TO MEET ASTM F2656 CRASH BARRIER STANDARD





- ANIMAL MITIGATION SHIELD
- BARBED-WIRE ARMS
- TECHNOLOGY POSTS
- SPIKE DETERRENT STRIPS
- **ANTI-BURROW** (not shown)
- BALLISTIC PANELS (UL 752 Level 8)



MATRIX

MESH INFILL SYSTEMS

With an expandable design, Matrix is built to accommodate multiple mesh infill options. Each infill possesses unique characteristics, allowing you to determine the level of visibility, delay and deterrence for your site.




RAILS: 2" x 11ga C-Shaped

INFILL CHANNEL: 3.5" x .75" Aluminum

DIRECT BURY AND PLATED POSTS:

- I-Beam and Tandem I-Beam Posts: 4" x 2.75" x 11ga
- 8" sq x .25 wall



X-Span[®]

37% OPACITY

.75" x #9F std. option


Expanded metal steel mesh provides modest delay to cut-through threats.


X-Span® Modified

75% OPACITY

.5" x #13R (.188 strand) std. option

Modified Expanded metal steel mesh provides superior delay to cut-through threats as well as ample visual screening.





X-Screen®

1.5" x #14 std. option

Louvered steel mesh provides favorable delay to cut-through threats and maximum visual screening.

WireWorks®8ga (37% OPACITY

6ga 43% OPACITY

.5" x 3" x 8ga & 6ga std. option

Welded Wire steel mesh provides ample delay to cut-through threats and modest visual screening.



RAILS: 2" x 11ga C-Shaped

PALES: 2.75"w x 14ga

DIRECT BURY AND PLATED POSTS:

- I-Beam and Tandem I-Beam Posts: 4" x 2.75" x 11ga
- 8" sq x .25 wall

X-Span® Mesh


.75" x #9F std. option


Expanded metal steel mesh provides modest delay to cut-through threats.


PALE SPACING OPTIONS

STANDARD SPACING:	3.25"	62% OPACITY
ANTI-SCALE SPACING:	1.5"	81% OPACITY









Trident[™]

Trident pales terminate in a menacing triple-pointed splayed spear tip. The intimidating look of the Trident corrugated pale is a visual deterrent to any who would dare to intrude.

Stronghold™

The blunt, slightly rounded tip of Stronghold offers strength when necessary, while providing safety and security to the public. Features the same structural configurations of its high-security counterparts.

Gauntlet™

The Gauntlet design rises above the topmost rail with an outward curve and terminates with a triple-pointed splayed spear tip. The outward curved pales discourage attempts to gain access by would-be intruders.



RAILS: 2" x 16ga

INFILL COVER: 3.5" x .50" Aluminum

RAIL TO INFILL BRACKET: 1" x .125"

DIRECT BURY AND PLATED POSTS:

- 3" x 6" x .083" wall and .1875" wall
- 6" sq x .1875" wall

X-Span® HDG only

37% OPACITY

.75" x #9F std. option

Expanded metal steel mesh provides modest delay to cut-through threats.

X-Span[®] Ultra


43% OPACITY

Modified

75% OPACITY

.5" x #13R Ultra & Modified (.188 strand)

Expanded metal steel mesh provides superior delay to cut-through threats as well as ample visual screening.



X-Screen® HDG only

94% OPACITY

1.5" x #14 std. option

Louvered steel mesh provides favorable delay to cut-through threats and maximum visual screening.

WireWorks®8ga

37% OPACITY


6ga

43% OPACITY

.5" x 3" x 8ga & 6ga std. option

Welded Wire steel mesh provides ample delay to cut-through threats and modest visual screening.





PERMACOAT®

- **✓** MATRIX
- ✓ MATRIX HARDENED
- ✓ MATRIX ALPHA

The electrostatic application in the PermaCoat® powder coating system results in coated surfaces with unmatched performance. The base coat of epoxy powder far surpasses the corrosion resisting abilities of painted surfaces. The "no-mar" polyester powder top coat reduces scratches and burnishing marks normally encountered during shipping and installation.

COLOR OPTIONS

Available in black or gray





PRE-TREATMENT





Rinses excess





Corrosion resistant layer

WATER RINSE Prep



barrier



wash



Eliminates all moisture

DOUBLE-COATING









Electrostatically applied cured

Seals

CORROSION **TESTING**

Corrosion occurs more easily without proper protection and process, which is why Ameristar's coatings continue to outperform the competition as tested to ASTM B117 standards.



PERMACOAT PROCESS

Phosphate + Epoxy Powder Coat + Polyester Powder Coat

GALVANIZED

MATRIX ALPHA

For over a century galvanized finishes have been the baseline for protecting industrial fences from the elements. Since Ameristar's inception, chain link fence framework has been a staple within our daily manufacturing production.

We apply our manufacturing expertise related to framework to providing galvanized engineered profiles of the highest quality. Ameristar quality is defined by our adherence to industry standards and the proven performance of our durable galvanized finishes.

GALVANIZED COATING

Continuous hot-dip galvanized coating



ASTM A123

Standard Specification for Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products

ASTM A653 Standard Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Ally Coated (Galvannealed) by the Hot-Dip Process



STRENGTH. DURABILITY. PROVEN FUNCTIONALITY.

Egress and ingress requirements are unique to each application. Managing traffic flow and usage demands are of the utmost importance, which is why Matrix gate systems are manufactured in a variety of types built to balance function and security.

Ameristar's Exodus pedestrian egress gates, swing gates and sliding gates perfectly match the perimeter to create a seamless design while exuding a commanding presence of security built to unite perimeter and entry.



Why Choose Ameristar?

KNOWLEDGE AND EXPERIENCE

For over 30 years we've delivered aesthetically pleasing, high-quality and innovative fencing products with superior design strength and easy installation.

PROVEN CAPABILITIES

Our integrated in-house processes, extensive raw materials and finished goods inventory translate into quality, on-time delivery.

INDUSTRY LEADERSHIP

We continually raise the bar in manufacturing customer-focused solutions. Our high standards produce premium products that go beyond merely meeting minimum industry standards.









AMERISTARFENCE.COM | 888-333-3422

Experience a safer and more open world #6006-2021

ASSA ABLOY